

RECLAMATION AND CLOSURE PLAN

WILLCOX ROCK & SAND, INC.

OUTER SPACE MATERIAL SOURCE

**SUBMITTED TO THE STATE MINE
INSPECTOR'S OFFICE FOR REVIEW AND
APPROVAL IN ACCORDANCE WITH
ARIZONA REVISED STATUTE
TITLE 27 - CHAPTER 6
STATE MINE INSPECTOR AGGREGATE
MINED LAND RECLAMATION**

MAY 2026

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
1.0 ADMINISTRATIVE INFORMATION	1
2.0 INTRODUCTION	2
2.1 Purpose and Scope	2
2.2 Reclamation Statement of Responsibility	2
2.3 Reclamation Approach	2
2.4 Current Ownership and Land Use Included in the Aggregate Mining Unit	3
2.5 Proposed Post-aggregate Mining Land Use	3
2.6 Description of the Aggregate Mining Unit and Proposed Surface Disturbances	4
2.7 Existing and Proposed Final Topography	4
2.8 A Narrative Description of Roads	4
2.9 Acreage Affected by Each Type of Surface Disturbance	5
2.9.1 Mining Area	5
2.9.2 Processing	5
2.9.5 Access Roads	5
3.0 RECLAMATION	6
3.1 Equipment and Structure Removal	6
3.2 Roads Power Lines, Waterlines and Fences	6
3.3 Area Preparation	6
3.4 Slope Stabilization	6
3.5 Soil Conservation	6
3.6 Revegetation	6
3.7 The Proposed Reclamation Measures to Achieve Post Mine Land Use and Public Safety	7
3.8 Timeline and Phasing of Reclamation	7
3.9 Reclamation Costs – Financial Assurance	7
4.0 MINE CLOSURE	8
4.1 Mining Areas	8
4.2 Processing and Other Areas	8
4.3 Personnel	8
4.4 Monitoring	8

TABLE OF CONTENTS (CONCLUDED)

Section Page

TABLES

Table 1	Existing Surface Disturbance	3
Table 2	Proposed Final Surface Disturbance	4

FIGURES

Figure 1	State Map	
Figure 2	Project Vicinity Map	
Figure 3	Existing Conditions	
Figure 4	Proposed Conditions	
Figure 5	Reclamation and Post-Mining Land Use Map “Open Space”	

APPENDICES

Appendix 1	Reclamation Cost Estimate	
Appendix 2	Public Notice	

1.0 ADMINISTRATIVE INFORMATION

Company: Willcox Rock & Sand, Inc.

Contact: Willcox Rock & Sand, Inc.
Kelly Owen
1540 E. Maley St.
PO Box 156
Willcox, AZ
Phone: (520) 384-2181
willcoxrock@gmail.com

Applicant: Willcox Rock & Sand, Inc.
Kelly Owen
1540 E. Maley St.
PO Box 156
Willcox, AZ
Phone: (520) 384-2181
willcoxrock@gmail.com

Permit
Technical
Consultant: Jill Himes, Himes Consulting LLC
3301 West Genoa Way
Chandler, AZ 85226
(602) 499-9253 (cell)
jillhimes@cox.net

Landowner: Stephen Klump

Parcel Nos: 305-01-019

Operator: Willcox Rock & Sand, Inc.

2.0 INTRODUCTION


2.1 PURPOSE AND SCOPE

Willcox Rock & Sand, Inc. proposes to continue to conduct aggregate mining and processing on a private parcel southeast of Willcox in Cochise County, Arizona. The Outer Space Material Source is located within the SW ¼ and SE ¼ of Section 28 in Township 14 South, Range 26 East, Gila and Salt River Meridian.

The purpose of this Mine Reclamation and Closure Plan (MRCP) is to present the details of rehabilitation of the Outer Space Material Source in Cochise County, Arizona concurrent with or after mining operations have ceased in accordance with the Arizona Aggregate Mined Lands Act (AAMLRA) (Arizona Revised Statutes[A.R.S.] §27-1201 as authorized by A.R.S. § 27-1204. This plan has been developed pursuant to the format and content prescribed in the Arizona Aggregate Mined Lands Reclamation Rules (Arizona Administrative Code {A.A.C}, R11-3-101, et seq.). The MRCP addresses environmental, technical and operational issues that are identified in those documents.

2.2 RECLAMATION STATEMENT OF RESPONSIBILITY

Willcox Rock & Sand, Inc. assumes responsibility for the reclamation of surface disturbances that are attributable to the aggregate mining unit consistent with A.R.S §. 27-1201 and A.C.C. R11-3-501 pursuant to that chapter. All areas that have been disturbed at the site will be reclaimed to a safe and stable condition when mine operations conclude.


Signature

2/16/20
Date

President

Title

2.3 RECLAMATION APPROACH

Willcox Rock & Sand, Inc. will reclaim areas surrounding and within the excavated areas necessary to accomplish the post-mining land use of open space. The goals of the mine plan and reclamation measures are to provide for a safe, stable, and sustainable site once mining has ceased. Reclamation will take place concurrently to the degree possible, but no later than the cessation of mining activities.

2.4 CURRENT OWNERSHIP AND LAND USE INCLUDED IN THE AGGREGATE MINING UNIT

Willcox Rock & Sand, LLC is conducting aggregate mining and processing operations for commercial use at the Outer Space Material Source. The site includes approximately 128 acres, as shown in Table 1 below, and in Figure 3. An existing access road occurs to the south of State Route (SR) 186, approximately 7 miles southeast of Willcox. The material source has been in operation since 1955. Adjacent land uses consist of grazing and open space.

The material source is located in an area within the Semidesert Grassland vegetation community (Brown 1994). Vegetation includes catclaw acacia (*Acacia greggii*), wolfberry (*Lycium berlandieri*), graythorn (*Ziziphus obtusifolia*), four wing saltbush (*Atriplex canescens*), velvet mesquite (*Neltuma velutina*), burroweed (*Isocoma tenuisecta*), and condalia (*Condalia warnockii*). Cacti and succulents are sparse and include tree cholla (*Cylindropuntia imbricata*) and soap tree yucca (*Yucca elata*). An understory of grasses and forbs including Lehman's lovegrass (*Eragrostis lehmanniana*) and big sacaton (*Sporobolus wrightii*), Russian thistle (*Salsola kali*), silverleaf nightshade (*Solanum elaeagnifolium*), and Thurber's pepperweed (*Lepidium thurberi*) also occur.

The material source is located within Arizona Game and Fish Department (AGFD) Game Management Unit 30A. This unit is managed for black bear (*Ursus americanus*), javelina (*Dicotyles tajacu*), mule deer (*Odocoileus hemionus*), white-tailed deer (*Odocoileus virginianus*), dove (*Zenaida* spp.), quail (*Callipepla* spp.), and sandhill crane (*Antigone canadensis*). Wildlife and/or wildlife sign observed within the project vicinity includes white-crowned sparrow (*Zonotrichia leucophrys*), mourning dove (*Zenaida macroura*), common raven (*Corvus corax*), white-throated woodrat (*Neotoma albigula*), and coyote (*Canis latrans*).

Table 1
Existing Surface Disturbance

Feature	Acres
Mining	55.4
Processing	19.5
Access Roads	0.7
Undisturbed	52.4
Total	128.0

2.5 PROPOSED POST-AGGREGATE MINING LAND USE

Proposed post-aggregate mining land use of the site is open space. Current nearby use is open space and grazing.

2.6 DESCRIPTION OF THE AGGREGATE MINING UNIT AND PROPOSED SURFACE DISTURBANCES

The proposed extraction/processing operation consists of mining to remove aggregate material as described in A.R.S. § 27-441. At the Outer Space Material Source, operations include excavation, screening, crushing, stockpiling, loading, and hauling. Equipment includes the use of a screen, crusher, and other mobile equipment for the support of production, and other construction related operations. Proposed surface disturbances include aggregate mining continuing to the east. Processing occurs in the southwestern portion of the site and includes a crusher, conveyors, and a screen. A mobile scale occurs near the entrance. Equipment staging and a water tank lies to the east of the processing area. Water truck overflow is occasionally discharged into the unlined pond in the southwestern corner. The southern boundary will remain undisturbed, for a final disturbance of approximately 116.9 acres, as shown in Figure 4. Depth of mining is approximately 30 to feet (ft) below ground surface. Slopes 2:1 (horizontal: vertical) (H:V) or flatter are incorporated into the mining plan. Proposed surface disturbances are shown in Table 2 below. Willcox Rock & Sand, LLC has estimated the removal of up to 4,043,656 cubic yards over a period of 20 years. The closest residential structure is located approximately 1.3 miles to the northwest of the nearest excavation area.

Table 2
Proposed Final Surface Disturbance

Feature	Acres
Access Road	0.7
Mining Area	96.7
Processing Area	19.5
Undisturbed	11.1
Total	128

2.7 EXISTING AND PROPOSED FINAL TOPOGRAPHY

Existing topography and survey information is provided in Figure 3 attached. Existing elevations range from 4,400 feet (ft) above mean sea level (msl) on the western side to approximately 4,800 ft above msl on the eastern side. Proposed final elevations are approximately 4,360 ft above msl in the northwest corner and 4,430 ft above msl in the northeast corner, as shown in Figure 4 attached. Depth of mining is a maximum of 30 feet below ground surface. Proposed final topography of the slopes will have a 2:1 (H:V) slope or flatter to provide a safe slope at the end of mine life.

2.8 A NARRATIVE DESCRIPTION OF ROADS

The existing unnamed access road provides existing access to the parcel from SR 186, as shown in Figures 3 and 4. Internal access roads within the interior of the site may be used over time as mining advances.

2.9 ACREAGE AFFECTED BY EACH TYPE OF SURFACE DISTURBANCE

Area Descriptions:

2.9.1 Mining Area

Aggregate mining at this site would impact approximately 116.9 acres of largely undisturbed areas. Mining depth will be a maximum of 50 ft. Slopes are planned at a maximum of 2:1 (H:V) or flatter. Final build-out is shown in Figure 4.

2.9.2 Processing Area

The processing area is located in the southwest portion of the parcel, near the site entrance. The processing area includes a crusher, a screen plant, stockpiles, equipment, and an office trailer and is not proposed to significantly change. A truck scale occurs at the site entrance.

2.9.3 Access Roads

An existing off-site access road provides access to the site from SR 186. Approximately 0.7 acres of the access road occurs within the site which leads to the processing area. Temporary internal access roads may be used over time as mining advances.

3.0 RECLAMATION

3.1 EQUIPMENT AND STRUCTURE REMOVAL

All equipment on this site is mobile and can be re-located at will throughout the mining process. All mobile equipment will be removed from the site. The truck scale concrete slab will be broken up and removed. There are no other buildings or structures proposed to be located on the site.

3.2 ROADS, POWER LINES, WATERLINES AND FENCES

All disturbed areas, including internal access roads within the mining and processing areas will be scarified, as shown in Figure 5. There are no powerlines that occur within the site. There are no waterlines within the site. Mobile generators will be used on an as-needed basis for the mining equipment which will be removed post-mining. The north side of the property site is currently fenced with no plans for additional fencing by the landowner.

3.3 AREA PREPARATION

Post-mining, the disturbed portions of the site interior, including the unlined pond, will be re-graded and scarified to promote natural revegetation, as shown in Figure 5.

3.4 SLOPE STABILIZATION

Mining incorporates 2:1 (H:V) slopes or flatter to result in stability for the area. No additional physical stabilization will be necessary after mining.

3.5 SOIL CONSERVATION

Natural revegetation on previously disturbed areas in the Willcox area has been previously successful. Natural revegetation of the disturbed areas is therefore reasonably expected to be successful without soil amendments.

3.6 REVEGETATION

To promote natural revegetation, scarification will be conducted within the disturbed areas to support the open space land use of the site. Since these areas are not proposed to support grazing, fish or wildlife habitat, forestry or recreation post-mining land uses, proposed measures to encourage fish and wildlife habitat are not required to be described further in accordance with A.R.S. §27-1271 (B)(9d).

3.7 THE PROPOSED RECLAMATION MEASURES TO ACHIEVE POST MINE LAND USE AND PUBLIC SAFETY

- A. What measures will restrict public access to pits or other hazardous surface features?
As the mined slopes are proposed at 2:1 (H:V) or flatter, no hazardous surface features are anticipated to remain after reclamation. In addition, all scrap metal, wood, trash and other debris that pose a threat to public safety or create a public nuisance will be removed.
- B. What measures will be taken to address erosion control and stability?
Site-specific grading will be conducted, as necessary, to address erosion. There are no floodplains in the project vicinity. No permanent piles of mined material or overburden will remain. Slope stability at a 2:1 (H:V) slope or flatter is incorporated into the mining plan.
- C. What measures will be taken to address revegetation, conservation, and the care and monitoring of revegetated areas?
Scarification would promote natural revegetation which occurs in the region. As revegetation is not proposed, monitoring of revegetated areas is not required.

3.8 TIMELINE AND PHASING OF RECLAMATION

In accordance with A.R.S. § 27-926, reclamation & monitoring will be completed within one year of cessation of mining. Proposed tentative schedule includes:

- Mining operations are anticipated to continue for 20 years until 2046.
- Reclamation on the processing and related areas will commence immediately upon completion of mining operations and is estimated to be completed within one year (estimated 2047).
- Reclamation includes equipment removal, processing area cleanup, grading, scarification to promote natural revegetation, and annual monitoring (trash removal, natural revegetation monitoring).
- Reclamation will be deemed complete once the reclaimed surfaces have been regraded to a safe and stable condition, scarification has been conducted, and ASMI verifies that the owner or operator has fulfilled the requirements of the approved reclamation plan.

3.9 RECLAMATION COSTS – FINANCIAL ASSURANCE

All reclamation costs will be wholly born by the applicant. Financial surety will be obtained by bonding.

4.0 MINE CLOSURE

4.1 MINING AREAS

Reclamation of the mining area will commence immediately upon closure of mining operations. There will be no substantial period between operation and reclamation.

4.2 PROCESSING AND OTHER AREAS


Stockpile areas will be removed by the end of mine life. Reclamation will commence immediately upon completion of mining operations. There will be no substantial period between operation and reclamation.

4.3 PERSONNEL

Personnel employed at this site will be re-assigned to other job sites if possible or assigned to assist with the reclamation process and then re-assigned.

4.4 MONITORING

The closure of operations at this site will be monitored in accordance with the approved conditions of this plan in accordance with the Arizona State Mine Inspector's Office. During reclamation, monitoring will occur annually to remove trash and conduct a general inspection.



**Figure 1. State Map.
 Outer Space Material Source.
 Cochise County, AZ.**




Figure 2. Project Vicinity Map.
Willcox Rock & Sand Inc.
Outer Space Material Source.
Cochise County, AZ.

0 8 Miles








Basemap: USGS Topographic Map: Willcox, AZ-NM, 1:100,000 quad 1994.

WILCOX MATERIAL SOURCE

EXISTING CONDITIONS

A PORTION OF SECTION 28 & 29,
T-16S., R-26W.,
of the GILA & SALT RIVER
BASE & MERIDIAN
COCHISE COUNTY, ARIZONA



LEGEND

-  PROPERTY LINE
-  LIMITS OF CONSTRUCTION
-  ACCESS ROAD
-  EXISTING 10' CONTOURS
-  EXISITNG 2' CONTOURS

MATERIAL & PLANT AREAS

EXISTING CONDITIONS

MINING AREA	
DISTURBED AREA	- 75.6± ACRES
UNDISTURBED AREA	- 52.4± ACRES
<hr/>	
TOTAL	- 128.0± ACRES



SCALE: 1" = 400'

STADLER DESIGN GROUP, LLC

1673 EAST ZION WAY
CHANDLER, ARIZONA 85249
PHONE: (970) 779+8449 * drstadler@mail.com




FIGURE 3

WILCOX MATERIAL SOURCE

PROPOSED CONDITIONS

A PORTION OF SECTION 28 & 29,
T-16S., R-26W.,
of the GILA & SALT RIVER
BASE & MERIDIAN
COCHISE COUNTY, ARIZONA

LEGEND


- PROPERTY LINE
- LIMITS OF CONSTRUCTION
- ACCESS ROAD
- EXISTING 10' CONTOURS
- EXISTING 2' CONTOURS
- PROPOSED 10' CONTOURS
- PROPOSED 2' CONTOURS

MATERIAL & PLANT AREAS

MINING AREA	- 96.7± ACRES
STOCKPILE AREA	- 19.5± ACRES
UNDISTURBED	- 11.1± ACRES
ACCESS ROAD	- 0.70± ACRES
TOTAL	- 128.0± ACRES

SOURCE MATERIAL VOLUME

MINING AREA	- 96.7± ACRES
VOLUME	- 4,043,656± CY



SCALE: 1" = 400'

STADLER DESIGN GROUP, LLC

1673 EAST ZION WAY
CHANDLER, ARIZONA 85249
PHONE: (970) 779+8449 * drstadler@mail.com





FIGURE 4









WILCOX MATERIAL SOURCE



RECLAMATION & POST MINING LAND USE MAP "OPEN SPACE"

A PORTION OF SECTION 28 & 29,
T-16S., R-26W.,
of the GILA & SALT RIVER
BASE & MERIDIAN
COCHISE COUNTY, ARIZONA



LEGEND

-  PROPERTY LINE
-  LIMITS OF CONSTRUCTION
-  ACCESS ROAD
-  EXISTING 10' CONTOURS
-  EXISTING 2' CONTOURS
-  PROPOSED 10' CONTOURS
-  PROPOSED 2' CONTOURS
-  SCARIFY LAND SURFACE



SCALE: 1" = 400'

STADLER DESIGN GROUP, LLC

1673 EAST ZION WAY
CHANDLER, ARIZONA 85249
PHONE: (970) 779-8449 * drstadler@mail.com

FIGURE 5

APPENDIX 1
RECLAMATION COST ESTIMATE

Reclamation Cost Estimate

Reclamation Cost Estimate Methodology

Unit costs developed for this Reclamation & Closure Plan are based on ADOT-approved estimating sources. Equipment unit costs are based on Equipment Watch Rental Rate Blue Book, Davis Bacon published labor rates, along with estimated productivity for material movement based primarily on the Caterpillar Handbook (2022). ADOT uses this format and protocol for ADOT contractors.

Material volumes and surface areas have been calculated using the topographic base maps provided and plan projection of outlined areas. The pit contours are all 3:1 or flatter. Final reclamation will consist of scarifying all compacted traffic areas other than the access roads which will remain. No fuel will be stored onsite due to shallow groundwater table.

Administrative costs were based on industry-standardized contingency, professional fees to annually inspect and report, as well as indirect costs, contractor profit, and contract administration costs.

Reclamation Cost Estimate Summary

Estimated costs developed for this Reclamation Plan are summarized below. Detailed breakdown for each reclamation activity follows.

Reclamation Activity	Units	Cost per Unit	Costs (\$)
Direct Costs			
Scarification	128.0 acres	\$ 83.43	\$ 10,679.24
Slab & Trash Disposal	1	\$ 6,025.32	\$ 6,025.32
Subtotal			\$ 16,704.56
Administrative Costs			
Administrative Contingency		10%	\$ 1,670.46
Inspect & Report	1 year	3,000	\$ 3,000.00
Indirect Costs		2%	\$ 334.09
Contractor Profit		10%	\$ 1,670.46
Contract Administration		10%	\$ 1,670.46
Subtotal			\$ 8,345.46
Total			\$ 25,050.02

Task 2 - Equipment Watch - Rate for Truck with Trailer

DATE:	4/9/2026			
TASK:	Miscellaneous Trash Removal – 1 pickup truck with trailer			
UNITS:	1 load			
Quantity	1 load	(2 days)	32.00 hours	TOTAL
Truck			\$ 14.00 per hour	\$ 448.00
Estimated operating costs			\$ 25.83 per hour	\$ 826.56
Trailer			\$ 34.00 per hour	\$ 1,088.00
Estimated operating costs			\$ 7.52 per hour	\$ 240.64
Total O & O cost				\$ 2,603.20

Plant & Processing Area Removal

Concrete Slab Removal	3000	SF	\$ 0.92 per hour	\$ 2,760.00
Total O & O cost				\$ 2,760.00


Labor from Davis Bacon rates - Cochise County ADOT Job				
	32	hrs	Base rate \$17.26 per hour	\$ 552.32
	32	hrs	Fringes \$2.65 per hour	\$ 84.80
	0	hrs	No O/T expected	

Trash disposal fee (Yuma County landfill):	1	Load		\$ 25.00
--	---	------	--	----------

Duration				4 days
Task Total				\$ 6,025.32
Price per acre for total	128.0	Acres		\$ 47.07

Rental Rate Blue Book®

June 13, 2024

Caterpillar D5
 Standard Crawler Dozers

 Size Class:
 160 - 189 hp
 Weight:
 N/A

Configuration for D5

Dozer Type	VPAT	Horsepower	170.0 hp
Operator Protection	IROPS	Power Mode	Diesel

Blue Book Rates

** FHWA Rate is equal to the monthly ownership cost divided by 176 plus the hourly estimated operating cost.

	Ownership Costs				Estimated Operating Costs	FHWA Rate**
	Monthly	Weekly	Daily	Hourly	Hourly	Hourly
Published Rates	USD \$14,795.00	USD \$4,145.00	USD \$1,035.00	USD \$155.00	USD \$61.26	USD \$145.32
Adjustments						
Region (100%)	-	-	-	-	-	-
Model Year (2024: 100%)	-	-	-	-	-	-
Adjusted Hourly Ownership Cost (100%)	-	-	-	-	-	-
Hourly Operating Cost (100%)	-	-	-	-	-	-
Total:	USD \$14,795.00	USD \$4,145.00	USD \$1,035.00	USD \$155.00	USD \$61.26	USD \$145.32

Non-Active Use Rates

	Hourly
Standby Rate	USD \$44.55
Idling Rate	USD \$108.29

Rate Element Allocation

Element	Percentage	Value
Depreciation (ownership)	30%	USD \$4,438.50/mo
Overhaul (ownership)	47%	USD \$6,953.65/mo
CFC (ownership)	13%	USD \$1,923.35/mo
Indirect (ownership)	10%	USD \$1,479.50/mo
Fuel (operating) @ USD 4.03	39.55%	USD \$24.23/hr

Revised Date: 2nd quarter 2024

These are the most accurate rates for the selected Revision Date(s). However, due to more frequent online updates, these rates may not match Rental Rate Blue Book® Print. Visit the Cost Recovery Product Guide on our Help page for more information.

Rental Rate Blue Book®

June 13, 2024

Miscellaneous MSR-84H
Crawler Tractor Multi-Shank Rippers

Size Class:
To 260 hp
Weight:
1044 lbs



Configuration for MSR-84H

Horsepower: 84.0 hp
Ripper Type: Radial
Number Of Shanks: 3.0
Power Mode: Hydraulic

Blue Book Rates

** FHWA Rate is equal to the monthly ownership cost divided by 176 plus the hourly estimated operating cost.

	Ownership Costs				Estimated Operating Costs Hourly	FHWA Rate** Hourly
	Monthly	Weekly	Daily	Hourly		
Published Rates	USD \$560.00	USD \$155.00	USD \$39.00	USD \$6.00	USD \$2.42	USD \$5.60
Adjustments						
Region (100%)	-	-	-	-		
Model Year (2024: 100%)	-	-	-	-		
Adjusted Hourly Ownership Cost (100%)	-	-	-	-		
Hourly Operating Cost (100%)					-	
Total:	USD \$560.00	USD \$155.00	USD \$39.00	USD \$6.00	USD \$2.42	USD \$5.60

Non-Active Use Rates

	Hourly
Standby Rate	USD \$2.32
Idling Rate	USD \$3.18

Rate Element Allocation

Element	Percentage	Value
Depreciation (ownership)	51%	USD \$285.60/mo
Overhaul (ownership)	27%	USD \$151.20/mo
CFC (ownership)	10%	USD \$56.00/mo
Indirect (ownership)	12%	USD \$67.20/mo

Fuel cost data is not available for these rates.

Revised Date: 2nd quarter 2024

These are the most accurate rates for the selected Revision Date(s). However, due to more frequent online updates, these rates may not match Rental Rate Blue Book® Print. Visit the Cost Recovery Product Guide on our Help page for more information.

The equipment represented in this report has been exclusively prepared for Bronson Barson (bbarson@fisherind.com)

APPENDIX 2
PUBLIC NOTICE